



OMEGA DB Sealing Tape


To guarantee air and wind-tightness for the skin of a construction it must have the appropriate foils or panel materials providing a permanent seal at overlaps, gaps, joints and penetration points. OMEGA DB Sealing Tape is used in particular for seals at problematic joints between threshold and concrete. Due to its high flexibility the tape can be attached over mounting brackets without any extra work.

FIELD OF APPLICATION

- sealing of threshold joints (concrete) INSIDE

ADVANTAGES

- very expandable
- resistant to moisture
- Backing strips
- high proportion of adhesive



AVAILABLE IN THE FOLLOWING DIMENSIONS

Roll width	100 mm	150 mm	200 mm	300 mm
Roll length	10 m	10 m	10 m	10 m
Rolls/carton	10	6	5	1
Backing strips	50/50	75/75	100/100	150/150

PRODUCT DATA

Composition	bitumen tape, adhesive on one side, very flexible
Thickness	1,5 mm
Working temperature	+ 5 °C - + 40 °C
Temperature resistance	- 40 °C - + 80 °C
Expandability	300 %
Colour	black
Storability	1 year; cool and dry

07.2018_EN

ISOCELL


PROCESSING GUIDELINES

OMEGA DB Sealing Tape

The materials used must be free from dust and grease and substrates must be dry and supporting. OMEGA DB Sealing Tape has the function of sealant and not of a strong connector. Optimum adhesion to the substrate is achieved in combination with BUBI LF Bonding Primer or UNI Primer.

Butyl and bitumen tapes have a high inherent weight.

The tape must be mechanically secured in case of installation in projecting areas e.g. ceilings, cantilevers and soffit areas, where gravity acts directly on the tape.



ISOCELL GmbH
Gewerbestraße 9
5202 NEUMARKT AM WALLERSEE | Österreich
Tel.: +43 6216 4108 | Fax: +43 6216 7979
office@isocell.at

ISOCELL SCHWEIZ AG
Herbergstrasse 29
9524 ZUZWIL | Suisse /Schweiz
Tel.: +41 71 544 47 20
office@isocell.ch

ISOCELL FRANCE
170 Rue Jean Monnet | ZAC de Prat Pip Sud
29490 GUIPAVAS | France
Tél.: +33 2 98 42 11 00 | Fax: +33 2 98 42 11 99
contact@isocell-france.fr

ISOCELL BUREEL BELGIË
Außenborner Weg 1 | Schoppen
4770 AMEL | Belgique
Tel.: +32 80 39 90 58 | Fax: +32 80 39 97 68
office@isocell.be

ISOCELL Sverige AB
Gamla Stallet | Stora Väsby
194 37 UPPLANDS VÄSBY | Sverige
Tel.: +46 10 130 25 01
office@isocell.se

ISOCELL
www.isocell.com