



UNI Primer

UNI Primer is a quality, solvent-based synthetic-resin primer for preparation of the substrate to optimize the adhesive properties of cold-setting adhesive tapes, cold self-adhesive roof underlays etc. It can be used on all absorbent mineral substrates e.g. concrete, bricks, wood, etc. Advantages compared with bitumen primer: temperature resistance up to 100°C and can also be used at -10°C; it penetrates 3mm into the surface and forms a firm bond between material and adhesive; quick drying: in summer approx. 15 min., in winter 30- 45 min.;

ADVANTAGES

- a stronger primer coat
- working temperature from -10° C
- resistant to + 100° C
- quick drying and economical in use
- recommended especially in winter

AVAILABLE IN THE FOLLOWING DIMENSIONS

Packing	1 l	5 l
Carton / Cans	9	1

PRODUCT DATA

Drying time Summer / Winter	10 min / 30 - 45 min
Working temperature from	- 10 °C - + 35 °C
Temperature resistance	+ 100 °C
Consumption	5 m ² / Liter
Storability	12 months in closed can, Attention: it is easily inflammable

GUIDELINES FOR USE

UNI Primer

The substrate must be level, firm, dry, free from grease, oil and dust. Apply UNI Primer evenly using a roller or a brush (spread on porous surfaces twice) and allow to dry.

Protective gloves and goggles must be worn as protection against the solvent!
Use only in ventilated places!



ISOCELL GmbH
Gewerbstraße 9
5202 NEUMARKT AM WALLERSEE | Österreich
Tel.: +43 6216 4108 | Fax: +43 6216 7979
office@isocell.at

ISOCELL SCHWEIZ AG
Herbergstrasse 29
9524 ZUZWIL | Suisse /Schweiz
Tel.: +41 71 544 47 20
office@isocell.ch

ISOCELL FRANCE
170 Rue Jean Monnet | ZAC de Prat Pip Sud
29490 GUIPAVAS | France
Tél.: +33 2 98 42 11 00 | Fax: +33 2 98 42 11 99
contact@isocell-france.fr

ISOCELL BUREEL BELGIË
Außenborner Weg 1 | Schoppen
4770 AMEL | Belgique
Tel.: +32 80 39 90 58 | Fax: +32 80 39 97 68
office@isocell.be

ISOCELL Sverige AB
Gamla Stallet | Stora Väsbys
194 37 UPPLANDS VÄSBY | Sverige
Tel.: +46 10 130 25 01
office@isocell.se

ISOCELL
www.isocell.com